




Technical Guidelines

for Power Generating Units and Systems

PART 3 (TG 3)

**Determination of the Electrical Characteristics
of Power Generating Units and Systems in
Medium-, High- and Extra-High Voltage Grids**

Revision 24
Dated 01/03/2016



Published by:
FGW e.V.
Fördergesellschaft Windenergie
und andere Erneuerbare Energien

Determination of the Electrical Characteristics of Power Generating Units and Systems in Medium-, High- and Extra-High Voltage Grids

Dated 01/03/2016

Published by

FGW e.V.

Fördergesellschaft Windenergie und andere Erneuerbare Energien

Oranienburger Straße 45
10117 Berlin

Tel. +49 (0)30 30101505-0

Fax +49 (0) 30 30101505-1

E-mail info@wind-fgw.de

Internet www.wind-fgw.de

Deutsche Nationalbibliothek (German National Library) lists this publication in the Deutsche Nationalbibliothek; detailed bibliographic data is available on the internet at <http://dnb.d-nb.de>.

The work and all its parts are copyright protected. Any use not expressly permitted under copyright law requires the previous approval of the publisher. This applies, in particular, to reproductions, adaptations, translations, microfilming, and saving and processing in electronic systems.

In the interest of easier readability, a gender-neutral differentiation is not used here. Any gender-specific terminology always refers to both genders.

Following Parts of FGW Technical Guidelines are available:

Part 1: Determination of Noise Emission Values

Part 2: Determination of Power Curves and Standardised Energy Yields

Part 3: Determination of the Electrical Characteristics of Power Generating Units and Systems in Medium-, High- and Extra-High Voltage Grids

Part 4: Demands on Modelling and Validating Simulation Models of the Electrical Characteristics of Power Generating Units and Systems

Part 5: Determination and Application of Reference Yield

Part 6: Determination of Wind Potential and Energy Yield

Part 7: Operation and Maintenance of Power Plants for Renewable Energy

Category A: Miscellaneous Section

Category B3: Specialist Application Notes for Monitoring and Testing Foundations and Supporting Structures for Wind Turbines

Category D2: State-Event-Cause Code for Power Generating Units (Zustands-Ereignis-Ursachen-Schlüssel, ZEUS)

Category D3: Global Service Protocol (GSP)

Category D3 – Attachment A: XML-Schema Documentation

Part 8: Certification of the Electrical Characteristics of Power Generating Units and Systems in the Medium-, High- and Extra-High Voltage Grids

Part 9: Determination of High Frequency Emissions from Renewable Power Generating Units

Foreword

The preparation of these Technical Guidelines for Wind Turbines (also known, since 1998, as FGW Guidelines) began in 1992 with the aim of presenting measuring methods allowing determination of reliable and comparable data for wind turbines (WTs) based on state-of-the-art technology. The measurements from the three fields of power curve, noise emissions and electrical characteristics should serve as the foundation for assessment of WTs, e.g. in permit issues, when assessing grid connection options or for reliable yield calculations.

In the meantime these Technical Guidelines and the associated test reports compiled by independent measuring institutes are widely recognised in their respective fields. Power curves form the basis for purchase agreements and finance commitments, measured noise emission values are adopted both for sales contracts and are used in the course of approval procedures. Measurements of electrical characteristics in accordance with these Technical Guidelines are required by the transmission system operators for the purpose of calculations with regard to connections to their grids.

Compilation of these guidelines

The contents of the Technical Guidelines are the responsibility of the respective technical committees and working groups. This guideline is an English translation of a prior German version. In any case of distinction between both revisions of TG 3 the German version is valid. In case of the use of non-gender neutral language, it is not the aim of the technical committee to discriminate against any gender. The following bodies were involved in the compilation of these guidelines by the working groups: Independent measuring institutes, emission protection agencies of the Federal Republic of Germany, manufacturers of power generating units (PGUs) and their components, grid operators, institutes and universities, engineering consultancies, Forum Netztechnik/Netzbetrieb (Forum network technology / network operation) im VDE (FNN), and Fördergesellschaft Windenergie und andere Erneuerbare Energien (FGW e.V.).

Measurements and their recognition

Measurements in accordance with the Technical Guidelines can be carried out by any qualified measuring institute. A test report shall be written documenting the measurements carried out, taking into consideration the requirements of these guidelines. Based on the test report, the results can be summarised in a test report extract applying the specifications provided in these guidelines (FGW master data sheet).

It should be noted that, over and above the specifications described in these Technical Guidelines, the agency requested to recognise the measurements may place further demands on the measuring institute. For example, certifiers of PGU measurements require measuring institutes accredited to ISO/IEC 17025.

FGW conformity

Independent measuring institutes can emphasise the quality of their work by the use of a conformity seal. The seal is applied at the bottom of the test report (or extract from the test report). After supplying a proof of certain quality characteristics, independent measuring institutes can apply for an entitlement to use the conformity seal. These quality characteristics are published on the FGW website.

Contents

Foreword	i
Abbreviations used	viii
Symbols and units	x
Terms and definitions	xii
1 Introduction	1
2 Scope	2
3 Requirements	3
3.1 General information.....	3
3.2 Measuring system configuration	3
3.3 Measurement Equipment	4
3.4 Measurement conditions	7
3.5 Documentation in the test report	8
3.5.1 General specifications	8
3.5.2 Information on the PGU	8
3.5.3 Rated values	9
3.5.4 Measuring and test system information	9
3.5.5 Test conditions	10
3.5.6 Measurement uncertainties	11
3.5.7 Extract from the test report	11
4 Implementation and analysis of measurements on PGUs.....	12
4.1 Active power output	12
4.1.1 Active power peaks	12
4.1.1.1 Aims	12
4.1.1.2 Testing method.....	12
4.1.1.3 Analyses	12
4.1.1.4 Documentation in the test report.....	13
4.1.2 Operating power limited by grid operator	14
4.1.2.1 Aim.....	14
4.1.2.2 Testing method.....	14
4.1.2.3 Analysis.....	16
4.1.2.4 Documentation in the test report.....	16
4.1.3 Power limitation for an increase in grid frequency	19
4.1.3.1 Aims	19
4.1.3.2 Testing method.....	19
4.1.3.3 Carrying out the test	20
4.1.3.4 Analyses	23

4.1.3.5	Documentation in the test report.....	24
4.1.4	Active power gradient following disconnection from the grid.....	28
4.1.4.1	Aims	28
4.1.4.2	Testing method.....	28
4.1.4.3	Analyses	29
4.1.4.4	Documentation in the test report.....	30
4.1.5	Reconnection time following disconnection from the grid	31
4.1.5.1	Aims	31
4.1.5.2	Testing method.....	31
4.1.5.3	Analyses	32
4.1.5.4	Documentation in the test report.....	33
4.2	Reactive power provision.....	33
4.2.1	Reactive power response in the normal operating mode ($Q = 0$ kvar)	33
4.2.1.1	Aim.....	33
4.2.1.2	Testing method.....	33
4.2.1.3	Analysis method	34
4.2.1.4	Documentation.....	34
4.2.2	Measuring the maximum reactive power range (PQ diagram)	35
4.2.2.1	Aim.....	35
4.2.2.2	Testing method.....	36
4.2.2.3	Analysis method	36
4.2.2.4	Documentation.....	37
4.2.3	Measuring separate operating points in the voltage-dependent PQ diagram	38
4.2.3.1	Aim.....	38
4.2.3.2	Testing method.....	38
4.2.3.3	Analysis method	40
4.2.3.4	Documentation.....	40
4.2.4	Reactive power following setpoints	41
4.2.4.1	Aim.....	41
4.2.4.2	Testing method.....	41
4.2.4.3	Analysis method	44
4.2.4.4	Documentation.....	44
4.2.5	Q(U) control (voltage regulation).....	46
4.2.5.1	Aim.....	46
4.2.5.2	Testing method.....	46
4.2.5.3	Analysis method	47
4.2.5.4	Documentation.....	47
4.2.6	Cos φ(P) control	48
4.2.6.1	Aim.....	48
4.2.6.2	Testing method.....	48

4.2.6.3	Analysis method	49
4.2.6.4	Documentation	49
4.3	System perturbations	50
4.3.1	General procedures	50
4.3.1.1	General testing method	50
4.3.1.2	General analysis method	52
4.3.2	Switching operations	54
4.3.2.1	Aim	54
4.3.2.2	Testing method	54
4.3.2.3	Analysis method	55
4.3.2.4	Documentation	56
4.3.3	Flicker	60
4.3.3.1	Aim	60
4.3.3.2	Testing method	60
4.3.3.3	Analysis method	60
4.3.3.4	Documentation	61
4.3.4	Harmonics	65
4.3.4.1	Aim	65
4.3.4.2	Testing method	65
4.3.4.3	Analysis method	66
4.3.4.4	Documentation	67
4.3.5	Unbalances	71
4.3.5.1	Aim	71
4.3.5.2	Testing method	71
4.3.5.3	Analysis method	71
4.3.5.4	Documentation	72
4.4	PGU disconnection from the grid	73
4.4.1	Aim	73
4.4.2	Testing method	73
4.4.3	Analysis method	78
4.4.4	Documentation	78
4.5	Verification of cut-in conditions	82
4.5.1	Aim	82
4.5.2	Testing method	82
4.5.3	Analysis method	83
4.5.4	Documentation	83
4.6	Response during grid faults	84
4.6.1	Type 1 PGUs	84
4.6.1.1	Aim	84
4.6.1.2	Testing method	84

4.6.1.3	Analysis method	88
4.6.1.4	Documentation.....	89
4.6.1.5	Standardised manufacturer's tests.....	92
4.6.1.5.1	Testing method: General requirements	93
4.6.1.5.2	Mass moment of inertia	93
4.6.1.5.3	Short-term load dump test.....	93
4.6.1.5.4	Generator parameters	94
4.6.1.5.5	AVR voltage setpoint test	96
4.6.1.5.6	Cos ϕ controller setpoint test.....	97
4.6.1.5.7	Testing the FRT capability of auxiliary units	98
4.6.2	Type 2 PGUs	99
4.6.2.1	Aim.....	99
4.6.2.2	Testing method.....	99
4.6.2.3	Analysis method	103
4.6.2.4	Documentation.....	108
4.6.3	Dynamic response for fault ride-through (FRT) in the case of overvoltage.....	113
4.6.3.1	Aim.....	113
4.6.3.2	Testing method.....	113
4.6.3.3	Analysis method	115
4.6.3.4	Documentation.....	115
5	Implementation and analysis of measurements on PGSs	117
5.1	Harmonic measurements on the PGS.....	117
6	Implementation and analysis of measurements on components	119
6.1	PGS controller	119
6.1.1	General specifications	119
6.1.2	Measuring system configuration	120
6.1.3	Determining the setting tolerance	122
6.1.4	Determination of settling time	125
6.1.5	Response during technical faults.....	125
6.1.6	Slave mode	127
Bibliography	128
Contents - Annexes.....	130
Annex A	Manufacturer's certificate for PGUs.....	138
Annex B	Extract from the test report	145
Annex C	Determination of harmonics grid bias (informative)	155
Annex D	Measuring the characteristic harmonic variables of a synchronous generator	177
Annex E	DC source for module-independent testing of photovoltaic units.....	179
Annex F	Testing equipment requirements	180

Annex G	Testing equipment requirements for testing WTs on system test benches.....	187
Annex H	Defining the signs in the load and generator sign convention.....	191
Annex I	Calculating voltage, current, active power, reactive power	192
Annex J	Standardised FRT test data transfer	195
Annex K	PGS and PGU test log requirements: 'informative'	198
Annex L	Alternative methods for PGUs with a directly coupled synchronous generator	220

Abbreviations used

BDEW	Bundesverband der Energie- und Wasserwirtschaft e.V. (German Association for Energy and Water Supply)
CGP	Cogeneration plant: PGU with combustion engine, from which both electrical and thermal energy are utilised
DIN	Deutsches Institut für Normung e.V. (German Institute for Standardisation)
EMC	Electromagnetic compatibility
EN	European norm/standard
PGS	Power generating system
PGU	Power generating unit, individual unit for generating electrical energy, corresponds to [1].
FACTS	Flexible Alternating Current Transmission System
FGW	FGW e.V. - Fördergesellschaft Windenergie und andere Erneuerbare Energien
FNN	VDE Forum für Netzbetrieb/Netztechnik (Forum network technology/network operation)
FRT	Fault ride-through
HV grid	High-voltage grid
EHV grid	Extra-high voltage grid
IEC	International Electrotechnical Commission
ISO	International Organisation for Standardisation
LVRT	Low voltage ride-through
MPP	Maximum Power Point (solar modules are normally operated at the point of maximum performance)
MV grid	Medium-voltage grid
Neg. seq.	Negative phase sequence system
GCP	Grid connection point
GCR	Grid connection regulations
GO	Grid operator
OVRT	Overvoltage ride-through
PV	Photovoltaic system
Pos. seq.	Positive phase sequence system
RMS	Root mean square
TG	Technical Guidelines
UPS	Uninterruptible power supply
TS	Transformer substation
VDN	Verband der Netzbetreiber e.V. (Association of German Power Transmission System Operators)

CE	Combustion engine
WT	Wind turbine
ZVEI	Zentralverband Elektrotechnik- und Elektronikindustrie e.V. (German Electrical and Electronic Manufacturers' Association)